

SHIP JAN 31, 2017

Work Order ID 149572

149572

Page 1

Monday, July 25, 2016 2:36:50 PM

Item ID: D350-591-133 Accept *N900040100* Setup Start *NS1*
 Revision ID: Stop *NS2*
 Item Name: AFT Maintenance Step, Fits LH or RH
 Start Date: 7/13/2016 Start Qty: 4.00 *4* Cust Item ID:
 Required Date: 7/25/2016 Req'd Qty: 4.00 *4* Customer:
 Reference:

Approvals: Process Plan: DAS 21 9-89 Date: AUG 02 2016 Tooling: _____ Date: _____ Run Start *NR1*
 QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop *NR2*

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
Draw Nbr	Revision Nbr								
D2946	Rev B								
IIN-D350-591	H								
100	Document Control	0.00							
100	DOCUMENT CONTROL								
DC	Memo	0.00							
Doc.Control -USB or Paperwork	Photocopy bluefile and type labels as per PPP D350-591-133 CHG004								
110	Large Fab	0.00							
110	Large Fab								
Large Fab	Memo	0.29							
Large Fab	1-Cut D2622-120 extrusion to 62.06" long as per Dwg D2946								
	2-Deburr								
	Ensure that 57.09" minimum extrusion is kept and identify to be used for D350-591-215/-216.								

B149572 (x4)

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval		
Description Work Order Deviation				Disposition				Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY							
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐	OTHER :							
Misidentified ☐	Past Due ☐								

Work Order ID 149572

Monday, July 25, 2016 2:36:50 PM

149572

Page 2

Item ID: D350-591-133 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AFT Maintenance Step, Fits LH or RH
Start Date: 7/13/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 7/25/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
120	QC6- Inspect dimensions to drawing	0.00				<u>4</u>	<u>JAN 1 2 2017</u>		<u>CPC</u>
120									
QC	Memo	0.00							
Quality Control									
130	Large Fab	0.00				<u>4</u>	<u>JAN 1 3 2017</u>		<u>CPC</u>
130									
Large Fab	Memo	0.37							
Large Fab	1-Deburr and Bevel ends for welding								
	2-Weld (1) End Cap and (2) Lugs using Jig DT8440 as per Dwg D2946 A/RAluminum Rod <u>M131562</u>								
	3-Grind End Cap welds flush								
140	QC9- Inspect visual per QSI004- Fusion Welds	0.00				<u>4</u>	<u>17-01-17</u>		
140									
QC	Memo	0.00							
Quality Control									

DAS
18
9-89

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
2015-01-01 2015-01-01				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 149572

Monday, July 25, 2016 2:36:50 PM

149572

Page 3

Item ID: D350-591-133 Accept ***N900040100*** Setup Start ***NS1***
Revision ID: Stop ***NS2***
Item Name: AFT Maintenance Step, Fits LH or RH
Start Date: 7/13/2016 Start Qty: 4.00 ***4*** Cust Item ID:
Required Date: 7/25/2016 Req'd Qty: 4.00 ***4*** Customer:
Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____ Run Start ***NR1***
QC: _____ Date: _____ SPC (Y/N): _____ Date: _____ Stop ***NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
150	QC5- Inspect part completeness to step on W/O	0.00							DAS 38 9-89
150						4			
QC	Memo	0.01							
Quality Control									JAN 17 2017
160	Chemical Conversion Coat per QSI005 4.1	0.00							
160									
HandFinish	Memo	0.13							
Hand Finishing									
170	QC7-Inspect Chemical Conversion Coat	0.00							
170						4	0		
QC	Memo	0.01							DAS 18 9-89
Quality Control									DAS 18 9-89

17-1-18

17-01-20

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date :		Step #:		QTY Effective :			MRB (QSI042) Approval 		
Description Work Order Deviation				Disposition					
							Completed By		
							Lead hand / Supervisor Approval Verification		
							QC / QA Coordinator Approval		

Root Cause				FAULT CATEGORY			
Environment ☐	☐	No Re-verification ☐	☐	Pressure/Forced ☐	☐	Temperature/Cure ☐	☐
Design ☐	☐	Operator ☐	☐	Bending ☐	☐	Set-up ☐	☐
Doc/Data ☐	☐	Offset/Setup ☐	☐	Centre Not Concentric ☐	☐	BOM/Route ☐	☐
Equip/Tooling ☐	☐	Supplier ☐	☐	Cracks ☐	☐	Broken/Damage/Defect ☐	☐
Handling/Pre ☐	☐	Training ☐	☐	Crimp/Kink/Ripple/Wave ☐	☐	Inspection Incomplete/Unqualified ☐	☐
Material ☐	☐	Use for Testing ☐	☐	Cuffs ☐	☐	Contamination ☐	☐
Internal Transport ☐	☐	Poor Information ☐	☐	Crushing ☐	☐	Countersink ☐	☐
Tribal Knowledge ☐	☐	Rushing ☐	☐	Heat Treat ☐	☐	Cut Too Short ☐	☐
LOA ☐	☐	Product Improvement ☐	☐	Wave/Twist in Tube ☐	☐	Instructions Incomplete/Unclear ☐	☐
Substation ☐	☐	Process Improvement ☐	☐	Marks/Chatter ☐	☐	Drill Holes ☐	☐
Past Expiry Date ☐	☐	Manufacturing Process ☐	☐	OTHER : _____			
Misidentified ☐	☐	Past Due ☐	☐				

Work Order ID 149572

Monday, July 25, 2016 2:36:50 PM

149572

Page 4

Item ID: D350-591-133

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 7/25/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals:

Process Plan:

Date:

Tooling:

Date:

Run Start

NR1

QC:

Date:

SPC (Y/N):

Date:

Stop

NR2Sequence ID/
Work Center IDOperation
DescriptionSet Up/
Run Hours

Tool ID

Tool #

Plan
CodeAccept
QtyReject
QtyReject
NumberInsp.
Stamp

180

0.00

180

Large Fab

Large Fab

Memo

0.25

Remove alodine prior to welding. Weld end cap as per Dwg D2946. Grind end cap weld flush.

A/R AL ROD BATCH: M1315624 0 17-01-19 20

190

0.00

190

QC

QC10- Inspect visual per QSI004- ground welds

Memo

0.00

Quality Control

4 17-01-23 PD

200

0.00

200

QC

QC5- Inspect part completeness to step on W/O

Memo

0.01

Quality Control

4 17-01-23 PD

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 149572

Monday, July 25, 2016 2:36:50 PM

149572

Page 5

Item ID: D350-591-133**Accept*****N900040100*****Setup Start*****NS1*****Revision ID:****Stop*****NS2*****Item Name:** AFT Maintenance Step, Fits LH or RH**Start Date:** 7/13/2016 **Start Qty:** 4.00***4*****Cust Item ID:****Required Date:** 7/25/2016 **Req'd Qty:** 4.00***4*****Customer:****Reference:****Approvals:** **Process Plan:** _____ **Date:** _____ **Tooling:** _____ **Date:** _____**Run Start*****NR1*****QC:** _____ **Date:** _____ **SPC (Y/N):** _____ **Date:** _____**Stop*****NR2***

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
210	Chemical Conversion Coat per QSI005 4.1	0.00							
210 HandFinish Hand Finishing	Memo	0.07				(x4)			2017/01/23 BEB
220	White Gloss(Ref:4.3.5.1) per QSI005 4.3-Alum	0.00							
220 Powdercoat Powder Coating	Memo START TIME: 8:30 OVEN TEMPERATURE: 320° FINISH TIME: 9:00	0.05							11/136113 H φ 1701-25. 2838
230	Wing Walk as per dwg QSI005 4.4 Batch	0.00							
230 HandFinish Hand Finishing	Memo	0.13				x4			11/136206 φ 1701/21

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval	
Description Work Order Deviation		Disposition			
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
		OTHER : _____			

Monday, July 25, 2016 2:36:50 PM

Page 6

NS1

NS2

Customer:

NR1

NR2

DAS
38
1-89
JAN 27 2017

DAS 6 9-89 **JAN 28 2017** **DAS 28 9-89**

X4

JAN 30 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Work Order ID 149572

Monday, July 25, 2016 2:36:50 PM

149572

Page 7

Item ID: D350-591-133

Accept

N900040100

Setup Start

NS1

Revision ID:

Stop

NS2

Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016 Start Qty: 4.00

4

Cust Item ID:

Required Date: 7/25/2016 Req'd Qty: 4.00

4

Customer:

Reference:

Approvals: Process Plan: _____ Date: _____ Tooling: _____ Date: _____

Run Start

NR1

QC: _____ Date: _____ SPC (Y/N): _____ Date: _____

Stop

NR2

Sequence ID/ Work Center ID	Operation Description	Set Up/ Run Hours	Tool ID	Tool #	Plan Code	Accept Qty	Reject Qty	Reject Number	Insp. Stamp
270	Packaging	0.00							
270									
Packaging	Memo	0.00							
Packaging	Identify and pack for shipping as per PPPD350-591-133 Location:FG038								
280	QC21- Final Inspection - Work Order Release	0.00							
280									
QC	Memo	0.07							
Quality Control									

X4
DAS
27
9-89
JAN 30 2017DAS
21
9-89

JAN 31 2017

DAS
21
9-89

JAN 31 2017

DQA:

Date:

2017-04-05



QA Closed:

Date:

FEB 17 2017

WORK ORDER NON-CONFORMANCE / UPDATE

Work Order update only ☐

Work Order: <u>149572</u>		DISPOSITION		AGAINST DEPARTMENT/PROCESS					
Part No. <u>0350-591-133</u>		Rework ☒		Skid-tube ☐	Cross tube ☐	Water Jet ☐	Engineering ☐		
NCR No. <u>17-6299</u>		Scrap ☐		Machining ☐	Small Fab ☒	Prod. Eng. Coord. ☐	Quality ☐		
		Use-as-is ☐		Thermoforming ☐	Finishing ☒	Rec/Store/Packaging ☐	Other ☐		
		Suspected Unapproved ☐		Large Fab ☐	Composite ☐	Supplier ☐			
Date: <u>17-01-30</u>		Step #: <u>270</u>		QTY Effective: <u>1</u>			MRB (QSI042) Approval		
							9-89 17-01-30		
Description Work Order Deviation				Disposition					
Pin hole found in paint. RC.				- scuff paint and re powder coat - wing walk - BEB 2017-01-30 QC. PD MPB/IB START: 3:00 OV. T: 3:20 FINISH: 3:30				Completed By	
								BEB 2017/01/30	
								Lead hand / Supervisor	
								Approval Verification	
								DAS 9-89 17-01-31	
								QC / QA Coordinator	
								Approval	
								9-89 17-01-31	
Root Cause		FAULT CATEGORY							
Environment ☐	☒ No Re-verification	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐				
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐				
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐				
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐				
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐				
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐				
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐				
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	☒ Finish				
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐				
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐				
Past Expiry Date ☐	Manufacturing Process ☐								
Misidentified ☐	Past Due ☐	OTHER :							

Picklist Print

Monday, July 25, 2016 2:36:49 PM

Page 1

Work Order ID: 149572

149572

Parent Item: D350-591-133

D350-591-133

Parent Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016

Required Date: 7/25/2016

Start Qty: 4.00

Required Qty: 4.00

Comments:

IPP Rev:B05.10.14Modified step 10KJ/EC

IPP Rev:C06.07.19D2946 @ rev.b EC

IPP REV:D

14.12.17 ADD DSI9712-011 DD VERF:JLM

Component Item ID/ Item Name	Replacement Item ID	Mfg/ Purch	Bin Item	Primary Location	Last Location	Route Seq ID	Unit of Measure	Qty on Hand	Qty per Kit	Total Qty	Qty Issued	Date Issued	Status
---------------------------------	------------------------	---------------	-------------	---------------------	------------------	-----------------	--------------------	----------------	-------------	--------------	---------------	----------------	--------

AN4-11A

Purchased

No

250

Each

47.0000

4

16

AN4-11A

BOLT

**

Location

Loc Qty

Loc Code

FG

20

120731

20

ST344

27

M128362

1

M135056

26

136589x9

136263x7

JAN 28 2017

AN4-14A

Purchased

No

250

Each

169.0000

8

32

AN4-14A

Bolt

**

Location

Loc Qty

Loc Code

FG

5

122141

5

ST344

164

M134943

64

M135056

100

13640x

JAN 28 2017

JAN 28 2017

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Monday, July 25, 2016 2:36:49 PM

Page 2

Work Order ID: 149572

149572

Parent Item: D350-591-133

D350-591-133

Parent Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016

Required Date: 7/25/2016

Start Qty: 4.00

Required Qty: 4.00

AN4-16A Purchased No 250 Each 311.0000 8 32
AN4-16A
Bolt

**

DAS
6
9-89

JAN 28 2017

DAS
27
9-89

Location	Loc Qty	Loc Code
FG	5	
121541	5	
over003	200	
M135127	100	
M135297	100	
ST343	106	
M135058	106	

136648

AN4-7A Purchased No 250 Each 74.0000 2 8
AN4-7A
Bolt

**

DAS
6
9-89

JAN 28 2017

DAS
27
9-89

Location	Loc Qty	Loc Code
ST345	74	
m134249	3	
m134754	71	

136192

D2230-1 Manufactured No 250 Each 196.0000 4 16
D2230-1
Mounting Lug

**

DAS
6
9-89

JAN 28 2017

DAS
27
9-89

Location	Loc Qty	Loc Code
FG	4	
84136	4	
ST521	192	
115306	1	
145246	31	
146288	160	

13611

Monday, July 25, 2016 2:36:49 PM

Shop Packet Print

Page 2

DQA: _____ Date: _____

WORK ORDER NON-CONFORMANCE / UPDATE



QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause				FAULT CATEGORY			
Environment ☐	Design ☐	Doc/Data ☐	Equip/Tooling ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Handling/Pre ☐	Material ☐	Internal Transport ☐	Tribal Knowledge ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
LOA ☐	Substation ☐	Past Expiry Date ☐	Misidentified ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
				Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
				Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
				Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
				Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
				Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
				Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
				Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐				OTHER : _____			

Picklist Print

Monday, July 25, 2016 2:36:49 PM

Page 3

Work Order ID: 149572

149572

Parent Item: D350-591-133

D350-591-133

Parent Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016

Required Date: 7/25/2016

Start Qty: 4.00

Required Qty: 4.00

D2230-3 Manufactured No

250 Each

166.0000 4 16

D2230-3

Mounting Lug

**

DAS
27
9-89

Location

Loc Qty

Loc Code

FG	8	
109344	4	
89045	4	
ST521	2	
144487	2	
ST525A	156	
146287	156	

152183/12

151426

DAS
6
9-89

JAN 28 2017

D2622-120C Manufactured No

110 Each

117.7360 0.52 2.08

D2622-120C

Step Extrusion

**

DP 17-1-10

Location

Loc Qty

Loc Code

WA003	97.736	
130161	0.236	
141814	97.5	
WA004	20	
140539	20	

152316

4

D2732 Manufactured No

250 f

279.3947 2 8

D2732

Rubber Cushion (Sper foot)

**

JAN 28 2017

Location

Loc Qty

Loc Code

ST412	279.3947358	
117118	5E-10	
143793	279.394736	

154137

DAS
6
9-89

DAS
27
9-89

Monday, July 25, 2016 2:36:49 PM

Shop Packet Print

Page 3

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition		Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐ No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐		FAULT CATEGORY Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐ Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐ Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Misabeled ☐ Fit/Function ☐ Misaligned/off center ☐ Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐			
OTHER : _____					

Picklist Print

Monday, July 25, 2016 2:36:49 PM

Page 4

Work Order ID: 149572

149572

Parent Item: D350-591-133

D350-591-133

Parent Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016

Required Date: 7/25/2016

Start Qty: 4.00

Required Qty: 4.00

D2734 Manufactured No

130 Each

55.0000 2 8

D2734

Step End Plate

**** B149392 → 8x DAS 43 JAN 11 2017 9-89**

Location

Loc Qty

Loc Code

WA003

55

145802

55

D2944 Manufactured No

130 Each

14.0000 2 8

D2944

Step Mounting Plate

**** B144838 → 8x DAS 43 JAN 11 2017 9-89**

Location

Loc Qty

Loc Code

WA003

14

144838

14

D2945 Manufactured No

250 Each

4.0000 1 4

D2945

Mounting Plate

**** DAS 28 JAN 28 2017 9-89**

Location

Loc Qty

Loc Code

ST013

4

142830

4

D3338-1 Manufactured No

Each

12.0000 4

D3338-1

Mounting Lug

**** DAS 28 JAN 28 2017 9-89**

Location

Loc Qty

Loc Code

ST527

12

127949

2

144837

10

DAS 27 9-89

DQA: _____ Date: _____



WORK ORDER NON-CONFORMANCE / UPDATE

QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____	DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐	AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐			
Date : _____	Step #: _____	QTY Effective : _____		MRB (QSI042) Approval	
Description Work Order Deviation		Disposition			
IS HAL PC				Completed By	
				Lead hand / Supervisor Approval Verification	
				QC / QA Coordinator Approval	
Root Cause		FAULT CATEGORY			
Environment ☐ Design ☐ Doc/Data ☐ Equip/Tooling ☐ Handling/Pre ☐ Material ☐ Internal Transport ☐ Tribal Knowledge ☐ LOA ☐ Substation ☐ Past Expiry Date ☐ Misidentified ☐	No Re-verification ☐ Operator ☐ Offset/Setup ☐ Supplier ☐ Training ☐ Use for Testing ☐ Poor Information ☐ Rushing ☐ Product Improvement ☐ Process Improvement ☐ Manufacturing Process ☐ Past Due ☐	Pressure/Forced ☐ Bending ☐ Centre Not Concentric ☐ Cracks ☐ Crimp/Kink/Ripple/Wave ☐ Cuffs ☐ Crushing ☐ Heat Treat ☐ Wave/Twist in Tube ☐ Marks/Chatter ☐	Temperature/Cure ☐ Set-up ☐ BOM/Route ☐ Broken/Damage/Defect ☐ Inspection Incomplete/Unqualified ☐ Contamination ☐ Countersink ☐ Cut Too Short ☐ Instructions Incomplete/Unclear ☐ Drill Holes ☐	Power Loss/Surge ☐ Folio/Program ☐ Grain ☐ Weld ☐ Wrong Stock Pulled ☐ Out of Sequence ☐ Off-set ☐ Mislabeled ☐ Fit/Function ☐ Misaligned/off center ☐	Positioned Wrong ☐ Outside Dimensions ☐ Over/Under tolerance ☐ Part Incorrect ☐ Part Lost/Missing ☐ Part Moved ☐ Drawing ☐ Finish ☐ Misread ☐ Turning Sequence ☐
OTHER : _____					

Picklist Print

Monday, July 25, 2016 2:36:49 PM

Page 5

Work Order ID: 149572

149572

Parent Item: D350-591-133

D350-591-133

Parent Item Name: AFT Maintenance Step, Fits LH or RH

Start Date: 7/13/2016

Required Date: 7/25/2016

Start Qty: 4.00

Required Qty: 4.00

MS21042L4 Purchased No 250 Each 2,733.000 14 56

MS21042L4

Locknut

Location

Loc Qty

Loc Code

FP001

51

m133363

51

GA

156

m133769

156

OVER007

2000

m135127

1000

m135297

1000

ST3003

26

m134955

26

ST303

500

m135058

500

Location

Loc Qty

Loc Code

GA

480

M132035

15

M134508

65

M135056

400

ST260a

600

M135056

600

ST263

897

M134943

897

DAS
27
9-89

DAS
6
9-89

DAS
28
9-89

NAS1149D0463J

Purchased No 250 Each 1,977.000 14 56

NAS1149D0463J

WASHER

DAS
27
9-89

DAS
6
9-89

DAS
28
9-89
JAN 28 2017

136192

Monday, July 25, 2016 2:36:49 PM

Shop Packet Print

Page 5

DQA: _____ Date: _____

**WORK ORDER NON-CONFORMANCE / UPDATE**


QA Closed: _____ Date: _____

Work Order update only ☐

Work Order: _____ Part No. _____ NCR No. _____		DISPOSITION Rework ☐ Scrap ☐ Use-as-is ☐ Suspected Unapproved ☐		AGAINST DEPARTMENT/PROCESS Skid-tube ☐ Machining ☐ Thermoforming ☐ Large Fab ☐ Cross tube ☐ Small Fab ☐ Finishing ☐ Composite ☐ Water Jet ☐ Prod. Eng. Coord. ☐ Rec/Store/Packaging ☐ Supplier ☐ Engineering ☐ Quality ☐ Other ☐					
Date : _____		Step # : _____		QTY Effective : _____			MRB (QSI042) Approval Completed By Lead hand / Supervisor Approval Verification QC / QA Coordinator Approval		
Description Work Order Deviation				Disposition					

Root Cause			FAULT CATEGORY		
Environment ☐	No Re-verification ☐	Pressure/Forced ☐	Temperature/Cure ☐	Power Loss/Surge ☐	Positioned Wrong ☐
Design ☐	Operator ☐	Bending ☐	Set-up ☐	Folio/Program ☐	Outside Dimensions ☐
Doc/Data ☐	Offset/Setup ☐	Centre Not Concentric ☐	BOM/Route ☐	Grain ☐	Over/Under tolerance ☐
Equip/Tooling ☐	Supplier ☐	Cracks ☐	Broken/Damage/Defect ☐	Weld ☐	Part Incorrect ☐
Handling/Pre ☐	Training ☐	Crimp/Kink/Ripple/Wave ☐	Inspection Incomplete/Unqualified ☐	Wrong Stock Pulled ☐	Part Lost/Missing ☐
Material ☐	Use for Testing ☐	Cuffs ☐	Contamination ☐	Out of Sequence ☐	Part Moved ☐
Internal Transport ☐	Poor Information ☐	Crushing ☐	Countersink ☐	Off-set ☐	Drawing ☐
Tribal Knowledge ☐	Rushing ☐	Heat Treat ☐	Cut Too Short ☐	Mislabeled ☐	Finish ☐
LOA ☐	Product Improvement ☐	Wave/Twist in Tube ☐	Instructions Incomplete/Unclear ☐	Fit/Function ☐	Misread ☐
Substation ☐	Process Improvement ☐	Marks/Chatter ☐	Drill Holes ☐	Misaligned/off center ☐	Turning Sequence ☐
Past Expiry Date ☐	Manufacturing Process ☐	OTHER : _____			
Misidentified ☐	Past Due ☐				

ROUND CORNER OF EXTRUSION TO
MATCH BEND RADIUS OF END PLATE



TYPICAL STEP END DETAIL
NOT TO SCALE

D2946 STEP ASSEMBLY PARTS LIST

Part No.	Description	QTY
D2946	Step Assembly	X
D2622-63	STEP EXTRUSION*	1
D2734	END PLATE	2
D2944	STEP MOUNTING PLATE	2

*cut per drawing

NOTE: ALL WELDS SHALL BE
100% VISUALLY
INSPECTED BY A
QUALIFIED INSPECTOR
PER DART QSI 004

APPLY BLACK ANTI-SKID
ON TOP SURFACE TO
BOTTOM OF TOP RADIUS

SHOP COPY

RETURN TO

ENGINEERING

UNCONTROLLED COPY


SUBJECT TO AMENDMENT

WITHOUT NOTICE

WORK ORDER

NO. 149572 MJS
1608-02

DART



D2946-041 STEP ASSEMBLY

D2946 STEP ASSEMBLY

- 1) MAKE FROM D2622 STEP EXTRUSION
- 2) WELD PER DART QSI 004
- 3) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT ENTIRE ASSEMBLY WHITE (4.3.5.1) PER DART QSI 005 4.3
BLACK ANTI-SKID PAINT PER DART QSI 005 4.4
- 4) ALL DIMENSIONS ARE IN INCHES
- 5) TOLERANCES ARE PER DART QSI 018 UNLESS OTHERWISE NOTED

RELEASED
05-11-28

DESIGN	CP	DRAWN BY	PH	DART AEROSPACE LTD
CHECKED		APPROVED		HAWKESBURY, ONTARIO, CANADA
DATE	05.11.14			REV. B
				SHEET 1 OF 1
				SCALE
				1:6
				TITLE
				STEP ASSEMBLY
				NEW ISSUE
				UPDATE FINISHING NOTE

REFERENCE ONLY

DART SERVICE INSTRUCTION

TO AMEND INSTALLATION INSTRUCTIONS D350-591 REV. G OR EARLIER
AND
INSTRUCTIONS OF CONTINUED AIRWORTHINESS ICA-D350-591 REV. 2 OR EARLIER
REF CANADIAN STC: SH92-6
REF FAA STC: SH967NE

For D350-591-121/-122/-123/-124/-133 steps, customers have the option of installing D2732-030 cushions under the D2230-1/-3 clamps to accommodate varying crosstube diameters and to improve fit. It is also acceptable to use longer or shorter AN4 bolts, and/or extra AN960JD416 washers under the nut to ensure 1.5 to 4 threads in safety. See Figure 1 on sheet 2 of this service instruction for reference.

For D350-591-121/-122 steps at CHG 005, D350-591-123/-124 steps at CHG 004, and D350-591-133 steps at CHG 003, the parts list of D350-591 Rev. G and ICA-D350-591 Rev. 2 is amended as follows:

ADD:


Qty -121	Qty -122	Qty -123	Qty -124	Qty -133	Part Number	Description
X					D350-591-121	<i>Heli-Access-Step</i> ™, Short Step – High Skid, LH
	X				D350-591-122	<i>Heli-Access-Step</i> ™, Short Step – High Skid, RH
		X			D350-591-123	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, LH
			X		D350-591-124	<i>Heli-Access-Step</i> ™, Short Step – Low Skid, RH
				X	D350-591-133	<i>Heli-Access-Step</i> ™, Aft Maintenance Step
2	2	2	2	8	D2732-030	CUSHION
2	2	2	2	8	AN4-16A	BOLT

The DSI-9459-011 kit is available for customers with earlier model D350-591-121/-122/-123/-124 steps. Longer AN4 bolts are provided to fasten the clamps. The DSI-9459-013 kit is available for customers with earlier model D350-591-133 steps.

Qty -011	Qty -013	Part Number	Description
X		DSI-9459-011	Rubber Cushion Kit (for -121/-122/-123/-124 steps)
	X	DSI-9459-013	Rubber Cushion Kit (for -133 steps)
2	8	D2732-030	CUSHION
2	8	AN4-16A	BOLT

CANADA
DEPARTMENT OF TRANSPORT
AIRCRAFT CERTIFICATION
BRANCH
DAO # 01-O-01

APPROVED

BY: 
D. SHEPHERD (DE # 02)

DATE: 09.06.24

CERT. NO.: SH92-6

ISSUE NO.: 11

B	AN4-16A WAS -17A FOR -013/-133 KIT	CP	09.06.24
A	NEW ISSUE	CP	09.04.17
REV.	DESCRIPTION	BY	DATE
DESIGN		DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA	
DRAWN			
CHECKED		DRAWING NO.	REV. B
MFG. APPR.	N/A	DSI 9459	SHEET 1 OF 2
APPROVED		TITLE	SCALE
DE APPR.		OPTIONAL CLAMP MODIFICATIONS	NTS
DATE	09.06.24	COPYRIGHT © 2009 BY DART AEROSPACE LTD THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE LTD.	

5.0 PARTS LIST

Qty -117A	Qty -119	Qty -133	Part Number	Description
X			D350-591-117A	<i>Hel-Access-Step</i> ™, Pre-Flight Step
	X		D350-591-119	<i>Hel-Access-Step</i> ™, Long Step – Low Skid
		X	D350-591-133	<i>Hel-Access-Step</i> ™, Aft Maintenance Step
	1		D2355	STEP ASSEMBLY (LOW-LONG)
		1	D2946-041	STEP ASSEMBLY (MAINTENANCE)
2	2		D2171	CLAMP
2	2		D2182B035	CUSHION
		4	D2230-1	MOUNTING LUG
		4	D2230-3	MOUNTING LUG
4	4		D2274	RADIUS BLOCK
1			D2362-041	SUPPORT BRACKET
	1		D2362-3	SUPPORT BRACKET
		1	D2946	MOUNTING PLATE
1	1		D3595-200-300	CUSHION
		8	D2732-030	CUSHION
	2		AN3-37A	BOLT
		2	AN4-7A	BOLT
		4	AN4-11A	BOLT
		8	AN4-16A	BOLT
	4		AN4-21A	BOLT
4	1		AN4-22A	BOLT
	4		NAS1149D0363J	WASHER (AN960JD10)
4	6	14	NAS1149D0463J	WASHER (AN960JD416)
	2		MS21042L3	NUT
4	5	14	MS21042L4	NUT

Qty -121	Qty -122	Qty -123	Qty -124	Part Number	Description
X				D350-591-121	<i>Hel-Access-Step</i> ™, Short Step – High Skid, LH
	X			D350-591-122	<i>Hel-Access-Step</i> ™, Short Step – High Skid, RH
		X		D350-591-123	<i>Hel-Access-Step</i> ™, Short Step – Low Skid, LH
			X	D350-591-124	<i>Hel-Access-Step</i> ™, Short Step – Low Skid, RH
1				D2351-041	STEP ASSEMBLY (HIGH-SHORT, LH)
	1			D2351-042	STEP ASSEMBLY (HIGH-SHORT, RH)
		1		D2356-041	STEP ASSEMBLY (LOW-SHORT, LH)
			1	D2356-042	STEP ASSEMBLY (LOW-SHORT, RH)
1	1	1	1	D2230-1	MOUNTING LUG
1	1	1	1	D2230-3	MOUNTING LUG
2	2	2	2	D2732-030	CUSHION
2	2	2	2	AN3-37A	BOLT
1	1	1	1	AN4-13A	BOLT
2	2	2	2	AN4-16A	BOLT
4	4	4	4	NAS1149D0363J	WASHER (AN960JD10)
6	6	6	6	NAS1149D0463J	WASHER (AN960JD416)
2	2	2	2	MS21042L3	NUT
3	3	3	3	MS21042L4	NUT